

Method Detection Reporting Limits Method TO-13 Ambient (PAHs) Air

TO13_ambient_air_01_08



<i>Analyte</i>	<i>Reporting Limit* (ug)</i>	<i>LCS Criteria Lower Control Limit (%)</i>	<i>LCS Criteria Upper Control Limits (%)</i>	<i>% RPD Limit</i>
Napthalene	0.10	50	138	30
Acenaphthylene	0.10	50	126	30
Acenaphthene	0.10	54	125	30
Fluorene	0.10	52	131	30
Phenanthrene	0.10	50	139	30
Anthracene	0.10	50	125	30
Fluoranthene	0.10	55	135	30
Pyrene	0.10	55	144	30
Benzo(a)anthracene	0.10	50	150	30
Chrysene	0.10	50	150	30
Benzo(b)fluoranthene	0.10	50	150	30
Benzo(k)fluoranthene	0.10	50	143	30
Benzo(a)pyrene	0.10	50	131	30
Dibenz(a,h)anthracene	0.10	50	132	30
Benzo(g,h,i)perylene	0.10	50	136	30
Indeno(1,2,3-cd)pyrene	0.10	50	136	30
Benzo(e)pyrene	0.10	50	150	30
1-Methylnapthalene	0.10	50	131	30
2-Methylnapthalene	0.10	50	132	30

Pace Analytical Services, Inc. is a NELAC accredited laboratory organization and meets NELAC testing standards. Use of the NELAC logo however does not insure that Pace is currently accredited for the specific method indicated. For current Pace accreditation information consult your Pace Project Manager.

* Method Reporting Limit is defined as the lowest amount of analyte that can be reported based on the lowest calibration standard. Method Detection Limit studies with valid statistically processed results are available for each individual analyte.